

Weighted graphs

Κ08 Δομές Δεδομένων και Τεχνικές Προγραμματισμού

Κώστας Χατζηκοκολάκης

1

Weighted graphs

- Graphs with numbers, called **weights**, attached to each edge
 - Often restricted to **non-negative**
- Directed or undirected
- Examples
 - **Distance** between cities
 - **Cost** of flight between airports
 - **Time** to send a message between routers

2

Weighted graphs


- Adjacency matrix representation

$$T[i, j] = \begin{cases} w_{i,j} & \text{if } i, j \text{ are connected} \\ \infty & \text{if } i \neq j \text{ are not connected} \\ 0 & \text{if } i = j \end{cases}$$

- Similarly for adjacency lists

3

Example weighted graph



4

Example weighted graph

	1	2	3	4	5	6
1	0	3	∞	∞	∞	5
2	∞	0	7	∞	∞	10
3	∞	∞	0	5	1	∞
4	∞	∞	∞	0	6	∞
5	∞	∞	∞	∞	0	7
6	∞	∞	8	2	∞	0

Adjacency matrix


5

Shortest paths

- The **length** of a path is the **sum of the weights** of its edges
- Very common problem
 - find the **shortest path** from s to d
- Examples
 - Shortest route between cities
 - Cheapest connecting flight
 - Fastest network route
 - ...

6

Shortest path from vertex 1 to vertex 5



7

Shortest path problem

Two main variants:

- **Single source s**
 - Find the shortest path from s to each node
 - **Dijkstra's** algorithm
 - Only for **non-negative** weights (important!)
- **All-pairs**
 - Find the shortest path between all pairs s, d
 - **Floyd-Warshall** algorithm
 - Any weights

8

Dijkstra's algorithm

Main ideas:

- Keep a set W of **visited** nodes
 - Start with $W = \{s\}$ (or $W = \{\}$)
- Keep a matrix $\Delta[u]$
 - Minimum distance from s to u **passing only through W**
 - Start with $\Delta[u] = T[s, u]$ (or $\Delta[s] = 0, \Delta[u] = \infty$)
- At each step we **enlarge W** by adding a **new vertex $w \notin W$**
 - w is the one with **minimum $\Delta[w]$**

9


Dijkstra's algorithm

Main ideas:

- Adding w to W might affect $\Delta[u]$
 - For some **neighbour u** of w
- We might now have a **shorter path to u passing through w**
 - Of the form $s \rightarrow \dots \rightarrow w \rightarrow u$
 - If $\Delta[u] > \Delta[w] + T[w, u]$
- In this case we update Δ
 - $\Delta[u] = \Delta[w] + T[w, u]$

10


Example graph



11

Expanding the vertex set w in stages

Stage	W	$V-W$	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5




12

Expanding the vertex set w in stages

W=2 is chosen for the second stage.


Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5



13

Expanding the vertex set w in stages

Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5




14

Expanding the vertex set w in stages

W=6 is chosen for the third stage.


Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5



15

Expanding the vertex set w in stages

Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5




16

Expanding the vertex set w in stages

W=4 is chosen for the fourth stage.


Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5



17

Expanding the vertex set w in stages

Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5
4	{1,2,6,4}	{3,5}	4	7	0	3	10	7	13	5




18

Expanding the vertex set w in stages

W=3 is chosen for the fifth stage.


Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5
4	{1,2,6,4}	{3,5}	4	7	0	3	10	7	13	5



19

Expanding the vertex set w in stages

Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5
4	{1,2,6,4}	{3,5}	4	7	0	3	10	7	13	5
5	{1,2,6,4,3}	{5}	3	10	0	3	10	7	11	5




20

Expanding the vertex set w in stages

W=5 is chosen for the sixth stage.


Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5
4	{1,2,6,4}	{3,5}	4	7	0	3	10	7	13	5
5	{1,2,6,4,3}	{5}	3	10	0	3	10	7	11	5



21

Expanding the vertex set w in stages

Stage	W	V-W	w	$\Delta(w)$	$\Delta(1)$	$\Delta(2)$	$\Delta(3)$	$\Delta(4)$	$\Delta(5)$	$\Delta(6)$
Start	{1}	{2,3,4,5,6}	-	-	0	3	∞	∞	∞	5
2	{1,2}	{3,4,5,6}	2	3	0	3	10	∞	∞	5
3	{1,2,6}	{3,4,5}	6	5	0	3	10	7	∞	5
4	{1,2,6,4}	{3,5}	4	7	0	3	10	7	13	5
5	{1,2,6,4,3}	{5}	3	10	0	3	10	7	11	5
6	{1,2,6,4,3,5}	{}	5	11	0	3	10	7	11	5



22

Dijkstra's algorithm in pseudocode

```
// Δεδομένα
src : αρχικός κόμβος
dest : τελικός κόμβος

// Πληροφορίες που κρατάμε για κάθε κόμβο v
W[u] : 1 αν ο u είναι στο σύνολο W, 0 διαφορετικά
dist[u] : ο πίνακας Δ
prev[u] : ο προηγούμενος του v στο βέλτιστο μονοπάτι

// Αρχικοποίηση: W={ } (εναλλακτικά μπορούμε και W={src})
for each vertex u in Graph
    dist[u] = INT_MAX // infinity
    prev[u] = NULL
    W[u] = 0
dist[src] = 0
```

23

Dijkstra's algorithm in pseudocode

```
// Κυρίως αλγόριθμος
while true
    w = vertex with minimum dist[w], among those with W[w] = 0

    W[w] = 1
    if w == dest
        stop
        // optimal cost = dist[dest]
        // optimal path = dest <- prev[dest] <- ... <- src (inverse)

    for each neighbor u of w
        if W[u] == 0
            continue
        alt = dist[w] + weight(w,u) // κόστος του src -> ... -> w
        if alt < dist[u] // καλύτερο από πριν, update
            dist[u] = alt
            prev[u] = w
```

24

Using a priority queue

- Finding the $w \notin W$ with **minimum** $\Delta[w]$ is slow
 - $O(n)$ time
- But we can use a **priority queue** for this!
 - We only keep vertices $w \notin W$ in the queue
 - They are compared based on their $\Delta[w]$ (each w has “priority” $\Delta[w]$)
- Careful when $\Delta[w]$ is modified!
 - Either use a priority queue that allows **updates**
 - Or insert multiple copies of each w with **different priorities**
 - the queue might contain **already visited** vertices: ignore them

25

Dijkstra's algorithm with priority queue

```
// Δεδομένα
src : αρχικός κόμβος
dest : τελικός κόμβος

// Πληροφορίες που κρατάμε για κάθε κόμβο u
W[u] : 1 αν ο v είναι στο σύνολο W, 0 διαφορετικά
dist[u] : ο πίνακας Δ
prev[u] : ο προηγούμενος του v στο βέλτιστο μονοπάτι
pq : Priority queue, εισάγουμε tuples {u,dist[u]}
    συγκρίνονται με βάση το dist[u]

// Αρχικοποίηση: W={ } (εναλλακτικά μπορούμε και W={src})
prev[src] = NULL
dist[src] = 0
pqqueue_insert(pq, {src,0}) // dist[src] = 0
```

26

Dijkstra's algorithm with priority queue

```
// Κυρίως αλγόριθμος
while pq is not empty
    w = pqqueue_max(pq) // w with minimal dist[u]
    pqqueue_remove_max(pq)

    if exists(W[w]) // το w μπορεί να υπάρχει πολλές φορές στην ο
        continue // δεν κάνουμε replace), και να είναι ήδη vis
    W[w] = 1
    if w == dest
        stop // optimal cost/path same as before

    for each neighbor u of w
        if exists(W[u])
            continue
        alt = dist[w] + weight(w,u) // cost of src->...->w->u
        if !exists(dist[u]) OR alt < dist[u]
            dist[u] = alt
            prev[u] = w
            pqqueue_insert(pq, {u,alt}) // προαιρετικά: replace αν υπ

stop // pq άδειασε πριν βρούμε το dest => δεν υπάρχει μονοπάτι
```

27

Notation

- $s \rightarrow d$
 - Direct step from s to d
- $s \xrightarrow{W} d$
 - Multiple steps $s \rightarrow \dots \rightarrow d$
 - All intermediate steps belong to the set $W \subseteq V$
- $s \xrightarrow{W} d$
 - Shortest path among all $s \xrightarrow{W} d$
 - So $s \xrightarrow{V} d$ is the overall shortest one

28

Proof of correctness

- We need to prove that $\Delta[u]$ is the **minimum distance to u**
 - **after** the algorithm finishes
- But it's much easier to reason **step by step**
 - we need a property that holds **at every step**
 - this is called an **invariant** (property that never changes)

29

Proof of correctness

Invariant of Dijkstra's algorithm

- $\Delta[u]$ is the cost of the shortest path **passing only through W**
- And the shortest **overall** when $u \in W$

Formally:

1. For all $u \in V$ the path $s \xrightarrow{W} u$ has cost $\Delta[u]$
2. For all $u \in W$ the path $s \xrightarrow{V} u$ has cost $\Delta[u]$

Proof: **induction** on the **size of W** , for both (1), (2) together

30

Proof of correctness

Base case $W = \{s\}$

- Trivial, the only path $s \xrightarrow{W} u$ is the direct one $s \rightarrow u$
- For (1): its cost is exactly $T[s, u] = \Delta[u]$
 - initial value of $\Delta[u]$
- For (2): the only $u \in W$ is s itself

31

Proof of correctness

Inductive case

- Assume $|W| = k$ and (1),(2) hold
- The algorithm
 - Updates W , adding a new vertex $w \notin W$
 - Updates $\Delta[u]$ for all neighbours u of w
- Let W', Δ' be the values **after** the update
- Show that (1),(2) still hold for W', Δ'

32

Proof of correctness


We start showing that (2) still holds for W', Δ'

- The interesting vertex is the w we just added
 - Vertices $u \neq w$ are trivial from the induction hypothesis
- Show: $s \xrightarrow{V} w$ has cost $\Delta'[w]$
 - Note: $\Delta'[w] = \Delta[w]$ (we do not update $\Delta[w]$)
 - We already know that $s \xrightarrow{W} w$ has cost $\Delta[w]$ (ind. hyp)
 - So we just need to prove that there is **no better** path **outside** W

33

Proof of correctness

- Assuming such path exists, let r be its **first** vertex outside W
 - So the path $s \xrightarrow{W} r \xrightarrow{V} w$ has cost $c < \Delta[w]$
 - So the path $s \xrightarrow{W} r$ has cost at most $c < \Delta[w]$ (no negative weights!)
 - So $\Delta[r] < \Delta[w]$
- **Impossible!** We chose w to be the one with $\min \Delta[w]$



34

Proof of correctness

It remains to show (1) for W', Δ'

- Take some arbitrary u
 - Let c be the cost of $s \xrightarrow{W'} u$
 - Show: $c = \Delta'[u]$
- Three cases for the optimal path $s \xrightarrow{W'} u$
- Case 1: the path does not pass through w
 - So it is of the form $s \xrightarrow{W} u$
 - This path has cost $\Delta[u]$ (induction hypothesis)
 - No update: $\Delta'[u] = \Delta[u] = c$

35


Proof of correctness

- Case 2: w is right before u
 - So the path is of the form $s \xrightarrow{W} w \rightarrow u$
 - The cost of $s \xrightarrow{W} w$ is $\Delta[w]$ (induction hypothesis)
 - So $c = \Delta[w] + T[w, u]$
 - So the algorithm will set $\Delta'[u] = \Delta[w] + T[w, u]$ when updating the neighbours of w
 - So $c = \Delta'[u]$

36

Proof of correctness

- Case 3: some other x appears after w in the path
 - So the path is of the form $s \xrightarrow{W} w \rightarrow x \xrightarrow{W} u$
 - But the path $s \xrightarrow{W} w \rightarrow x$ is no shorter than $s \xrightarrow{W} x$
 - From the induction hypothesis for $x \in W$
 - So $s \xrightarrow{W} x \rightarrow u$ is also optimal, reducing to case 1!



37

Complexity

Without a priority queue:

- Initialization stage: loop over vertices: $O(n)$
- The while-loop adds one vertex every time: n iterations
- Finding the new vertex loops over vertices: $O(n)$
 - same for updating the neighbours
- So total $O(n^2)$ time

38

Complexity

With a priority queue:

- Initialization stage: loop over vertices, so $O(n)$
- Count the number of **updates** (steps in the **inner** loop)
 - Once for every neighbour of every node: e total
 - Each update is $O(\log n)$ (at most n elements in the queue)
- Total $O(e \log n)$
 - Assuming a connected graph ($e \geq n$)
 - And an implementation using adjacency lists
- Only good for **sparse** graphs!
 - But $O(n \log n)$ can be hugely better than $O(n^2)$

39

The all-pairs shortest path problem

- Find the shortest path between all pairs s, d
- **Floyd-Warshall** algorithm
- Any weights
 - Even negative
 - But no **negative loops** (why?)

40

The all-pairs shortest path problem

Main idea

- At each step we compute the shortest path through a **subset of vertices**
 - Similarly to W in Dijkstra
 - But now the set at step k is $W_k = \{1, \dots, k\}$
 - Vertices are numbered in any order
- Step k : the cost of $i \xrightarrow{W_k} j$ is $A_k[i, j]$
 - Similar to Δ in Dijkstra (but for all **pairs** i, j of nodes)

41

Floyd-Warshall algorithm


- The algorithm at each step computes A_k from A_{k-1}
- Initial step $k = 0$
 - Start with $A_0[i, j] = T[i, j]$
 - Only direct paths are allowed

42

Floyd-Warshall algorithm

k -th iteration: the optimal $i \xrightarrow{W_k} j$ either **passes through** k or not.

$$A_k[i, j] = \min \begin{cases} A_{k-1}[i, j] \\ A_{k-1}[i, k] + A_{k-1}[k, j] \end{cases}$$



43

Floyd-Warshall algorithm in pseudocode

```
void floyd_warshall() {  
    for (int i = 0; i <= size-1; i++)  
        for (int j = 0; j <= size-1; j++)  
            A[i][j] = weight(i, j)  
  
    for (int i = 0; i <= size-1; i++)  
        A[i][i] = 0;  
  
    for (int k = 0; k <= size-1; k++)  
        // Compute A_k from A_{k-1}  
        for (int i = 0; i <= size-1; i++)  
            for (int j = 0; j <= size-1; j++)  
                if (A[i][k] + A[k][j] < A[i][j])  
                    A[i][j] = A[i][k] + A[k][j]  
}
```

A is the **current** A_k at every step k .

44

Complexity

- Three simple loops of n steps
- So $O(n^3)$
- **Not** better than n executions of Dijkstra in **complexity**
 - But much simpler
 - Often faster in practice
 - And works for **negative** weights

45

Readings

- T. A. Standish. *Data Structures, Algorithms and Software Principles in C*. Chapter 10
- A. V. Aho, J. E. Hopcroft and J. D. Ullman. *Data Structures and Algorithms*. Chapters 6 and 7

46